

Table of Contents

Part A

	HQ CONTROL DATE	EFFECTIVE DATE	AMENDMENT NUMBER
001 Issuance and Applicability	11/16/2004	07/11/2006	5
002 Definitions and Abbreviations	11/16/2004	07/11/2006	3
003 Ratings and Limitations	01/30/2004	02/08/2010	10
004 Summary of Special Authorizations and Limitations	09/23/1998	07/11/2006	2
007 Designated Persons	12/19/2006	02/22/2007	5
449 Antidrug and Alcohol Misuse Prevention Program	07/17/2009	02/08/2010	5

A001. Issuance and Applicability

HQ Control: 11/16/04
HQ Revision: 050

- a. These operations specifications are issued to PAS Technologies, Inc., a Domestic Repair Station, pursuant to Title 14 Code of Federal Regulations (CFR) Section 145.53. The repair station certificate holder shall conduct operations in accordance with CFR Part 145 and these operations specifications.


The certificate holder's address:

Fixed Location:
214 Hobart Drive
Hillsboro, OH 45133

- b. The holder of these operations specifications is the holder of Certificate Number MZ52059N and shall hereafter be referred to as the certificate holder.
- c. These operations specifications are issued as part of this Repair Station Certificate, and are in effect as of the Date Approval is effective. This certificate and operations specifications shall remain in effect until the domestic repair station certificate is surrendered, suspended, or revoked.
- d. The repair station specified on these operations specifications performs maintenance and/or alteration of aircraft and/or aeronautical products to be installed on aircraft under the terms and conditions of a Bilateral Aviation Safety Agreement and associated Maintenance Implementation Procedures between the Federal Aviation Administration and a Foreign National Aviation Authority identified in Advisory Circular 145-8.

Delegated authorities: None

-
1. Issued by the Federal Aviation Administration.
 2. These Operations Specifications are approved by direction of the Administrator.


Hermanns, Richard J.

Principal Maintenance Inspector

GL05

3. Date Approval is effective: 7/11/06 Amendment Number: 5
4. I hereby accept and receive the Operations Specifications in this paragraph.


Lowery, Wayne

Chief Inspector

Date: 7/11/06

A002. Definitions and Abbreviations

HQ Control: 11/16/04
HQ Revision: 050

Unless otherwise defined in these operations specifications, all words, phrases, definitions, and abbreviations have identical meanings to those used in the Title 14 Code of Federal Regulations (CFR) Regulations and Title 49 United States Code as cited in Public Law 103-272, as amended. Additionally, the definitions listed below are applicable to operations conducted in accordance with these operations specifications.

**Bilateral Aviation
Safety Agreement
(BASA)**

An executive agreement concluded between the United States and a foreign country for the purpose of promoting aviation safety; also known as an Agreement for the Promotion of Aviation Safety.

Certificate Holder

In these operations specifications the term "certificate holder" shall mean the holder of the repair station certificate described in these operations specifications in Part A paragraph A001 and any of its officers, employees, or agents used in the conduct of operations under this certificate.

CFR

Code of Federal Regulations

Class rating

As used with respect to the certification, ratings, privileges, and limitation of aircraft within a category having similar operating characteristics.

**Domestic Repair
Station**

A certificated repair station located in the United States.

Exemption

An authorization that permits an alternate means of compliance with a specific CFR. The exemption must meet the procedural requirements of CFR 14, Part 11.

**FAA Accountable
Manager**

A person designated by the certificated repair station who is responsible for and has authority over all repair station operations that are conducted under 14 CFR Part 145, including ensuring that the repair station's personnel follow the regulations and serving as the primary contact with the FAA.

FAA Form 8000-4-1

The FAA Form 8000-4-1 has been replaced with the form contained within this operations specifications application (OPSS) for the generation of the 14 CFR Part 145 Repair Station Operations Specifications.

Foreign Repair Station

A certificated repair station located outside of the United States.

**Geographic
Authorization**

An approval provided to a foreign repair station to perform maintenance support under contract for a U.S. air carrier, or operator of U.S. - registered aircraft under 14 CFR Part 129, at a location other than the repair station facility. A geographic authorization is issued by the FAA to respond to the need of a U.S. air carrier or Part 129 foreign operator for maintenance at a station where the frequency and scope of that maintenance does not warrant permanently staffing and equipping the station for its accomplishment.

EASA

European Aviation Safety Agency

**EASA Accountable
Manager**

The manager who has corporate authority for ensuring that all maintenance required by the customer can be financed and carried out to the standard required by the EASA full member Authority.

Limited Rating

Rating issued to repair stations for the performance of maintenance on particular makes and models of airframes, powerplants, propellers, radios, instruments, accessories, and/or parts.

**Limited Ratings -
Specialized Services**

Rating issued for a special maintenance function when the function is performed in accordance with a specification or data acceptable to the Administrator.

Line Maintenance

Any unscheduled maintenance resulting from unforeseen events; or scheduled checks where certain servicing and/or inspections do not require specialized training, equipment, or facilities.

Maintenance

The inspection, overhaul, repair, preservation, and the replacement of parts, but excludes preventive maintenance.

**Maintenance
Implementation
Procedures (MIP)**

Procedures for implementing the provisions of a BASA that apply to maintenance.

MOE

Maintenance Organization Exposition - Pertains to European Aviation Safety Agency member countries that use an MOE in place of a Repair Station Manual and a Quality Control Manual.

**Preventive
Maintenance**

As defined in Appendix A subparagraph (c) of 14 CFR Part 43.

QCM

Quality Control Manual


RSM

Repair Station Manual

**Substantial
Maintenance**

Any activity involving a C-check (routine airframe maintenance) or greater maintenance; any engine maintenance requiring case separation or teardown; and/or major alterations or major repairs performed on airframes, engines, or propellers.


-
-
1. Issued by the Federal Aviation Administration.
 2. These Operations Specifications are approved by direction of the Administrator.


Hermanns, Richard J.

Principal Maintenance Inspector

GL05

3. Date Approval is effective: 7/11/06 Amendment Number: 3
4. I hereby accept and receive the Operations Specifications in this paragraph.


Lowery, Wayne

Chief Inspector

Date: 7/11/06

A003 . Ratings and Limitations

HQ Control: 01/30/2004

HQ Revision: 010

The Certificate Holder is authorized the following Ratings and/or Limitations:

Class Ratings

None Authorized

Limited Ratings

<u>Rating</u>	<u>Manufacturer</u>	<u>Make/Model</u>	<u>Limitations</u>
PowerPlant	Honeywell	ATF-3 and GTCP-331	Inspect and Repair Non-rotating Components
PowerPlant	Rolls Royce	AE1107/2100/3007 and RB211 Series Engines	Inspect and Repair Non-rotating Components
PowerPlant	CFMI	CFM56 Series Engines	Inspect and Repair Non-rotating Components
PowerPlant	General Electric	CF6 Series Engines	Inspect and Repair Non-rotating Components
PowerPlant	International Aero Engines	V2500 and V2522 Series Engines	Inspect and Repair Non-rotating Components
PowerPlant	Pratt & Whitney	JT8, JT9, PW2000, and PW4000 Series Engines	Inspect and Repair Non-rotating Components
Nondestructive Inspection, Testing, and Processing	Ultrasonic Inspection	BMT-2, BIS-2, SIS-23 as amended	Use the methods, techniques, and practices prescribed in the current manufacturers maintenance manual or Instructions for Continued Airworthiness, or other methods, techniques, and practices acceptable to the Administrator.
Nondestructive Inspection, Testing, and Processing	Fluorescent Penetrant Inspection	ASTM-E-1417, AMS-2644 and NAS 410 as amended	Use the methods, techniques, and practices prescribed in the current manufacturers maintenance manual or Instructions for Continued Airworthiness, or other methods, techniques, and practices acceptable to the Administrator.
Nondestructive Inspection, Testing, and Processing	Radiographic Inspection	ASTM-E-1742 and NAS-410 as amended	Use the methods, techniques, and practices prescribed in the current manufacturers maintenance manual or Instructions for

<u>Rating</u>	<u>Manufacturer</u>	<u>Make/Model</u>	<u>Limitations</u>
			Continued Airworthiness, or other methods, techniques, and practices acceptable to the Administrator.
Nondestructive Inspection, Testing, and Processing	Optical Holography	BTM-11 and BIS-1 as amended	Use the methods, techniques, and practices prescribed in the current manufacturers maintenance manual or Instructions for Continued Airworthiness, or other methods, techniques, and practices acceptable to the Administrator.
Accessories	Pratt & Whitney	JT-8D Single Tube Manifolds	Use the methods, techniques, and practices prescribed in the current manufacturers maintenance manual or Instructions for Continued Airworthiness, or other methods, techniques, and practices acceptable to the Administrator.
Accessories	Honeywell	GTCP 36 APU	Inspect and repair non-rotating parts.
Accessories	Honeywell	GTCP-331 APU	Inspect and repair non-rotating parts.

Limited Ratings - Specialized Services

<u>Rating</u>	<u>Specifications</u>	<u>Limitations</u>
Brazing	AWS-C3.4, C3.5, C3.6, C3.7, and AMS-2675 as amended	Use the methods, techniques, and practices prescribed in the current manufacturers maintenance manual or Instructions for Continued Airworthiness, or other methods, techniques, and practices acceptable to the Administrator.
Heat Treatment	AMS-H-6088; AMS-H-6875; and MIL-H-81200 as amended	Use the methods, techniques, and practices prescribed in the current manufacturers maintenance manual or Instructions for Continued Airworthiness, or other methods, techniques, and practices acceptable to the Administrator.
Shot Peening	AMS-2431; AMS-S-13165; SAE-J441; SAE-J444; SAE-J827; and SAE-J1993 as amended	Use the methods, techniques, and practices prescribed in the current manufacturers maintenance manual or Instructions for Continued Airworthiness, or other methods, techniques, and practices acceptable to the Administrator.
Welding	AMS-1595; AMS-W-6858; AWS D17.1; and SAE-AMS-STD-2219, as amended	Use the methods, techniques, and practices prescribed in the current manufacturers maintenance manual or Instructions for Continued Airworthiness, or other methods, techniques, and practices acceptable to the Administrator.
Thermal Spray (Plasma Spray, Flame Spray, Dual Wire Arc Spray)	Approved Technical Data	Use the methods, techniques, and practices prescribed in the current manufacturers maintenance manual or Instructions for Continued Airworthiness, or other methods, techniques, and practices acceptable to the Administrator.

Rating

Specifications

Limitations
Administrator.

1. Issued by the Federal Aviation Administration .
2. Support information reference:
3. These Operations Specifications are approved by direction of the Administrator.



2010.02.08 06:21:51 Central Standard Time
Location: WebOPSS
Digitally signed by Norman L Johnson,
Principal Maintenance Inspector (GL05)

4. Date Approval is effective: 02/08/2010

Amendment Number: 10

5. I hereby accept and receive the Operations Specifications in this paragraph.

Lowery, Wayne, N/A

A handwritten signature in cursive script that reads "Wayne W. Lowery".

Date: 02/08/2010

A004. Summary of Special Authorizations and Limitations

HQ Control: 9/23/1998
HQ Revision: 010

a. The certificate holder, in accordance with the reference paragraphs, is authorized to:

	<u>Reference Paragraphs</u>
Conduct operations choosing to have an antidrug and alcohol misuse prevention program.	A449

b. The certificate holder is *not authorized and shall not:*

Use Exemptions.	A005
-----------------	------


Perform work, including continuous operations, at additional locations other than at its primary fixed location.	A101
--	------

Perform maintenance in accordance with foreign repair station geographic authorizations.	B050
--	------

Perform work, excluding continuous operations, at additional locations other than at its primary Fixed Location.	D100
--	------

Perform line maintenance for cert. holders conducting operations under Parts 121 and 135 and for foreign carriers/persons operating U.S. registered aircraft in common carriage under Part 129, apart from D100 which authorizes that work away from station.	D107
---	------

-
1. Issued by the Federal Aviation Administration.
 2. These Operations Specifications are approved by direction of the Administrator.


Hermanns, Richard J.


Principal Maintenance Inspector

GL05

3. Date Approval is effective: 7/11/06

Amendment Number: 2

4. I hereby accept and receive the Operations Specifications in this paragraph.


Lowery, Wayne

Chief Inspector

Date: 7/11/06

A007. Designated Persons

HQ Control: 12/19/06
HQ Revision: 030

a. The personnel listed in the following table are designated to officially apply for and receive operations specifications for the certificate holder indicated below.

Table 1 – Designated Persons to Apply for and Receive Authorizations


Title	Name	Parts Authorized
Chief Inspector / N/A	Lowery, Wayne	A
FAA Accountable Manager, 145 / N/A	Smith, Dan	A

b. The following personnel listed in Table 2 are designated by the certificate holder to receive Information for Operators (INFO) messages for the certificate holder as indicated below. A receipt for the information by an operator or person is not required.

Table 2 – Designated to Receive INFO Messages

Name	Email Address	Telephone No.	Type of Information to Receive
Wayne Lowery	wayne_lowery@pas-technologies.com	937-840-1026	ALL

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.


Hermanns, Richard J.


Principal Maintenance Inspector

GL05

3. Date Approval is effective: 2/22/07

Amendment Number: 5

4. I hereby accept and receive the Operations Specifications in this paragraph.


Lowery, Wayne

Chief Inspector

Date: 2/22/07

A449 . Antidrug and Alcohol Misuse Prevention Program

HQ Control: 07/17/2009

HQ Revision: 00a

- a. The Part 145 repair station certificate holder has elected to implement an Antidrug and Alcohol Misuse Prevention Program, because the certificate holder performs safety-sensitive functions for a 14 CFR Part 121, and 135 certificate holder and/or for a 14 CFR Part 91 operator conducting operations under Section 91.147.
- b. The certificate holder certifies that it will comply with the requirements of 14 CFR Part 120 and 49 CFR Part 40 for its Antidrug and Alcohol Misuse Prevention Program.
- c. Antidrug and Alcohol Misuse Prevention Program records are maintained and available for inspection by the FAA's Drug Abatement Compliance and Enforcement Inspectors at the location listed in Table 1 below:

Table 1

Location & Telephone of Antidrug and Alcohol Misuse Prevention Program Records:	
Telephone Number:	(816) 555-4600 (A2)
Address:	1234 Atlantic Ave.
Address:	N/A
City:	North Kansas City
State:	MO
Zip code:	64166

d. Limitations and Provisions.

- (1) Antidrug and Alcohol Misuse Prevention Program inspections and enforcement activity will be conducted by the Drug Abatement Division. Questions regarding these programs should be directed to the Drug Abatement Division.
- (2) The certificate holder is responsible for updating this operations specification when any of the following changes occur:
 - (a) Location or phone number where the Antidrug and Alcohol Misuse Prevention Program Records are kept.
 - (b) If the certificate holder's number of safety-sensitive employees goes to 50 and above, or falls below 50 safety-sensitive employees.
- (3) The certificate holder with 50 or more employees performing a safety-sensitive function on January 1 of the calendar year must submit an annual report to the Drug Abatement Division of the FAA.
- (4) The certificate holder with fewer than 50 employees performing a safety-sensitive function on January 1 of any calendar year must submit an annual report upon request of the Administrator, as specified in the regulations.

The certificate holder has 50 or more safety-sensitive employees.

1. Issued by the Federal Aviation Administration .
2. Support information reference:
3. These Operations Specifications are approved by direction of the Administrator.



2010.02.08 05:55:36 Central Standard Time
Location: WebOPSS
Digitally signed by Norman L Johnson,
Principal Maintenance Inspector (GL05)

4. Date Approval is effective: 02/08/2010 Amendment Number: 5

5. I hereby accept and receive the Operations Specifications in this paragraph.

Lowery, Wayne, N/A

A handwritten signature in cursive script that reads "Wayne W. Lowery".

Date: 02/08/2010
